

Page: 1 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance

Trade name/designation : Reliance BS – 150

 EC Index
 : 649-477-00-2

 EC-No.
 : 265-174-4

 CAS-No.
 : 64742-70-7

 Document no.
 : Location: Pakistan

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Base Oil

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

RELIANCE PETROCHEM INDUSTRIES (PVT.) LTD

1301-1305, 13th Floor, Chapal Plaza, Hasrat Mohani Rd, Karachi, Pakistan

UAN: +92-21-111-774-111 | FAX: +92-21-32474244

info@reliancepetrochem.com | www.reliancepetrochem.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Listed in Annex VI : EC Index-No.: 649-477-00-2

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment: Not applicable.



Page: 2 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

SECTION 3: Composition/information on ingredients

3.1. Substances

Comments : Base Oil. The substance contains <3% DMSO extract as measured by IP346

 Substance name
 : Reliance BS - 150

 CAS-No.
 : 64742-70-7

 EC-No.
 : 265-174-4

 EC Index
 : 649-477-00-2

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Paraffin oils (petroleum), catalytic dewaxed heavy, Baseoil	(CAS-No.) 64742-70-7 (EC-No.) 265-174-4 (EC Index) 649-477-00-2	100	Not classified

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection. Concerning personal protective

equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show

this safety data sheet to the doctor in attendance.

Inhalation : Remove person to fresh air and keep comfortable for breathing. In case of doubt or

persistent symptoms, consult always a physician.

Skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. In case

of doubt or persistent symptoms, consult always a physician..

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt

or persistent symptoms, consult always a physician.

Ingestion : Rinse mouth thoroughly with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation : No adverse effects are expected. May be irritating.

Skin contact : No adverse effects are expected. May cause skin irritation in susceptible persons.

Eyes contact : No adverse effects are expected. Contact with eyes may cause irritation.

Ingestion : The following symptoms may occur: May cause gastrointestinal irritation, nausea,

vomiting and diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable. Heating causes rise in pressure with risk of bursting.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO2).



Page: 3 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the

extinguishing fluids by bunding. Prevent fire fighting water from entering the

environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of

waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

For emergency responders

: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment

: Stop leak if safe to do so. Dam up the liquid spill.

Methods for cleaning up

: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.

Hygiene measures

: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: Take precautionary measures against static discharge.

Storage conditions

: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and

water pollution in the event of spillage.

Incompatible substances or mixtures

: Strong oxidizing agent.

Heat and ignition sources

: Keep away from open flames, hot surfaces and sources of ignition. Keep out of direct sunlight. Do not smoke.



Page: 4 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

Special rules on packaging

: Keep in properly labelled containers.

Packaging materials

: Keep only in the original container. Suitable material: Stainless steel, Mild steel.

Unsuitable material: Synthetic material.

Specific end use(s) <u>7.3.</u>

No data available.

SECTION 8: Exposure controls/personal protection

<u>8.1.</u> **Control parameters**

Additional information : Personal air monitoring :. Room air monitoring. Recommended monitoring

procedures

8.2. **Exposure controls**

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit releases,

dispersion and exposure. Safe handling: see section 7.

: The type of protective equipment must be selected according to the concentration Personal protective equipment

and amount of the dangerous substance at the specific workplace.

: Suitable material: NBR (Nitrile rubber). Thickness > 0.3 mm. Breakthrough time: 8h. Hand protection

> The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous

substances.

Eye protection : Use suitable eye protection. (EN166): Safety glasses with side-shields. Use splash

goggles when eye contact due to splashing is possible

: Wear suitable protective clothing. Body protection

Respiratory protection

: In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (EN 140). Full face mask (EN 136). Filter type: A. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/ particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Avoid release to the environment. Comply with applicable Community environmental Environmental exposure controls

protection legislation.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties <u>9.1.</u>

Physical state : Liquid **Appearance** : liquid.

Colour No data available : No data available Odour Odour threshold : No data available рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting / freezing point : No data available : No data available Freezing point Initial boiling point and boiling range : No data available

Flash point : >= 250 °C

Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable, liquid : No data available Vapour pressure



Page: 5 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

Vapour density : No data available Relative density : No data available

Solubility : Water: No data available

Partition coefficient n-octanol/water : No data available
Kinematic viscosity : 476,2 mm²/s (@40°C)
Dynamic viscosity : No data available

Explosive properties : Not applicable. The study does not need to be conducted because there are no

chemical groups associated with explosive properties present in the molecule.

Oxidising properties : Not applicable. The classification procedure needs not to be applied because there

are no chemical groups present in the molecule which are associated with oxidising

properties.

Explosive limits : No data available

9.2. Other information

Other properties : Viscosity index (min) :95. Pour point : -6°C. Sulfur : <1.3 Wt%. Furfural Content

(ppm) <5.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Safe handling: see section 7.

10.5. Incompatible materials

Strong oxidizing agents. Safe handling: see section 7.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO2). Reference to other sections: 5.2.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

Paraffin oils (petroleum), catalytic d	ewaxed heavy, Baseoil (64742-70-7)
LD50/oral/rat	> 15000 mg/kg
LD50/dermal/rabbit	> 5000 mg/kg
Skin corrosion/irritation	 Not classified (Based on available data, the classification criteria are not met.) pH: No data available
Serious eye damage/irritation	 Not classified (Based on available data, the classification criteria are not met.) pH: No data available
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met.)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met.)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met.)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met.)



Page: 6 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

Other information

: Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties

: According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

12.2. Persistence and degradability

Persistence and degradability	No data available.

12.3. Bioaccumulative potential

Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No data available.

12.4. Mobility in soil

Ī	Mobility in soil	No data available

12.5. Results of PBT and vPvB assessment

Ī	Results of PBT assessment	No data available
	Results of FDT assessment	110 data available

12.6. Other adverse effects

Other adverse effects : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC,

75/442/EEC, 91/689/EEC)

: This material and its container must be disposed of as hazardous waste Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN numbe	<u>r</u>			,
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper	shipping name	•		•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport	hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing gr	oup	1	•	,
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environme	ental hazards	•		•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
	No	supplementary information	on available	



Page: 7 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. National regulations

France

Installations classées :

Not applicable.

Germany

Reference to AwSV : Water hazard class (WGK) 1, Low hazard to waters (Classification according to

AwSV; ID No. 9183)

12th Ordinance Implementing the Federal

Immission Control Act - 12.BImSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

Netherlands

SZW-lijst van kankerverwekkende stoffen

: The substance is not listed

SZW-lijst van mutagene stoffen

: The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding

: The substance is not listed

NIET-limitatieve lijst van voor de

do

: The substance is not listed

voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

: The substance is not listed

voortplanting giftige stoffen - Ontwikkeling

15.2. Chemical safety assessment

No chemical safety assessment has been carried out



Page: 8 / 8

Revision No: 1.0

Issue Date: 11/05/2022

RELIANCE BS - 150

Location: Pakistan

SECTION 16: Other information

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek
ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
BTT = Breakthrough time (maximum wearing time)
DMEL = Derived Minimal Effect level
DNEL = Derived No Effect Level
EC50 = Median Effective Concentration
EL50 = Median effective level
ErC50 = EC50 in terms of reduction of growth rate
ErL50 = EL50 in terms of reduction of growth rate
EWC = European waste catalogue
LC50 = Median lethal concentration
LD50 = Median lethal dose
LL50 = Median lethal level
NA = Not applicable
NOEC = No observed effect concentration
NOEL: no-observed-effect level
NOELR = No observed effect loading rate
NOAEC = No observed adverse effect concentration
NOAEL = No observed adverse effect level
N.O.S. = Not Otherwise Specified
OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
PNEC = Predicted No Effect Concentration
Quantitative structure-activity relationship (QSAR)
STOT = Specific Target Organ Toxicity
TWA = time weighted average
VOC = Volatile organic compounds
WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the

: Supplier Info LOLI. Calculation method. CONCAWE.

datasheet

Training advice : Training staff on good practice..

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.