

Page: 1 / 9

**Revision No: 1.0** 

Issue Date: 11/05/2022

**Location: Pakistan** 

## **RELIANCE N - 70**

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Substance

Trade name/designation : Reliance N – 70

EC-No. : 265-158-7

CAS-No. : 64742-55-8

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use

#### 1.2.2. Uses advised against

No data available

### 1.3. Details of the supplier of the safety data sheet

RELIANCE PETROCHEM INDUSTRIES (PVT.) LTD

1301-1305, 13th Floor, Chapal Plaza, Hasrat Mohani Rd, Karachi, Pakistan

UAN: +92-21-111-774-111 | FAX: +92-21-32474244

info@reliancepetrochem.com | www.reliancepetrochem.com

### 1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture Classification

according to Regulation (EC) No. 1272/2008 [CLP]

Asp. Tox. 1 H304

Full text of H statements: see section 16

### 2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS08

Signal word : Danger

Hazard statements (CLP) : H304 - May be fatal if swallowed and enters airways.

Precautionary statements (CLP) : P301+P310 - IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

P331 - Do NOT induce vomiting.

P405 - Store locked up.



Page: 2 / 9 Revision No: 1.0

Issue Date: 11/05/2022

## **RELIANCE N - 70**

**Location: Pakistan** 

P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment : Not applicable.

### **SECTION 3: Composition/information on ingredients**

3.1.Substances

 Substance name
 : Base Oil

 CAS-No.
 : 64742-55-8

 EC-No.
 : 265-158-7

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Base oil : distillates hydrotreated light paraffinic (DMSO% < 3%)	(CAS-No.) 64742-55-8 (EC-No.) 265-158-7 (EC Index) 649-468-00-3	100	Asp. Tox. 1, H304

Full text of H-statements: see section 16

#### 3.2.Mixtures

Not applicable

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

Additional advice : First aider: Pay attention to self-protection. Never give anything by mouth to an

unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance. Concerning

personal protective equipment to use, see section 8.

Inhalation : Remove person to fresh air and keep comfortable for breathing. In case of doubt or

persistent symptoms, consult always a physician.

Skin contact : Take off contaminated clothing. Gently wash with plenty of soap and water. In case

of doubt or persistent symptoms, consult always a physician.

Eyes contact : Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt

or persistent symptoms, consult always a physician.

Ingestion : Rinse mouth thoroughly with water. Do NOT induce vomiting. Get immediate

medical advice/attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation : The following symptoms may occur: May cause drowsiness or dizziness, Inhalation

may cause irritation (cough, short breathing, difficulty in breathing).

Skin contact : The following symptoms may occur: irritation (itching, redness, blistering), Drying up

of the skin.

Eyes contact : The following symptoms may occur: Causes serious eye irritation, Risk of serious

damage to eyes.

Ingestion : May be fatal if swallowed and enters airways. The following symptoms may occur:

Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract, Symptoms of ingestion include drowsiness, weakness, headache, dizziness,

nausea, vomiting.

## 4.3. Indication of any immediate medic al attention and special treatment needed

Treat symptomatically.



Page: 3 / 9 Revision No: 1.0

Issue Date: 11/05/2022

## **RELIANCE N - 70**

**Location: Pakistan** 

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : carbon dioxide (CO2), powder, alcohol-resistant foam, water spray.

Unsuitable extinguishing media : Strong water jet.

#### 5.2. Special hazards arising from the substance or mixture

Specific hazards : Not flammable. Heating causes rise in pressure with risk of bursting.

Hazardous decomposition products in

case of fire

: Carbon oxides (CO, CO2).

#### 5.3. Advice for firefighters

Firefighting instructions : Evacuate area. Use water spray or fog for cooling exposed containers. Contain the

extinguishing fluids by bunding. Prevent fire fighting water from entering the

environment.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus.

Other information : Do not allow run-off from fire-fighting to enter drains or water courses. Dispose of

waste in accordance with environmental legislation.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

For non-emergency personnel

: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Concerning personal protective equipment to use, see section 8.

#### 6.1.2. For emergency responders

For emergency responders

: Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Notify authorities if product enters sewers or public waters.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Stop leak if safe to do so. Dam up the liquid spill. Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

### 6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling

: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood.



Page: 4 / 9

Revision No: 1.0

Issue Date: 11/05/2022

# **RELIANCE N - 70**

**Location: Pakistan** 

Hygiene measures : Keep good industrial hygiene. Wash hands and other exposed areas with mild soap

and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feedingstuffs. Remove contaminated clothes. Separate working clothes from town

clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a dry, cool and well-ventilated place. Do not store near or with any of the

incompatible materials listed in section 10. Bund storage facilities to prevent soil and

water pollution in the event of spillage.

Packaging materials : Keep only in the original container.

7.3. Specific end use(s)

No data available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

Additional information : Personal air monitoring :. Room air monitoring. Recommended monitoring

procedures

8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Organisational measures to prevent /limit releases,

dispersion and exposure. Safe handling: see section 7.

Personal protective equipment : The type of protective equipment must be selected according to the concentration

and amount of the dangerous substance at the specific workplace.

Hand protection : Wear chemically resistant gloves (tested to EN374) . Suitable material: >0.4mm, 480

min, Nitrile rubber. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of

hazardous substances.

Eye protection : Use suitable eye protection. (EN166): Safety glasses

Body protection : Wear suitable protective clothing.

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment. Half-face

mask (EN 140). Full face mask (EN 136). Filter type: (type A2). The filter class must

be suitable for the maximum contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN

137)

Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental

protection legislation.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : liquid.

Colour : Colourless to yellow.

Odour : Hydrocarbon-like.
Odour threshold : No data available

pH : No data available : No data available

Relative evaporation rate (butylacetate=1) : No data available

Melting / freezing point : No data available Freezing point : No data available



Page: 5 / 9

**Revision No: 1.0** 

Issue Date: 11/05/2022

### **RELIANCE N - 70**

**Location: Pakistan** 

Initial boiling point and boiling range

: No data available

Flash point

: 168 °C

Auto-ignition temperature

: No data available

Decomposition temperature

: No data available : Not applicable, liquid

Flammability (solid, gas) Vapour pressure

 $: < 0.01 \text{ mm Hg } (37.8^{\circ}\text{C})$ 

Vapour density

Relative density

: No data available

Solubility

: Soluble in hydrocarbons.

Partition coefficient n-octanol/water

Water: Insoluble : No data available

Kinematic viscosity

 $> 13 \text{ mm}^2/\text{s}$ 

Dynamic viscosity

: No data available

Explosive properties

: Not applicable. The study does not need to be conducted because there are no

chemical groups associated with explosive properties present in the molecule.

Oxidising properties

: Not applicable. The classification procedure needs not to be applied because there

are no chemical groups present in the molecule which are associated with oxidising

properties.

**Explosive limits** 

: No data available

### 9.2. Other information

No data available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reference to other sections: 10.4 & 10.5.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

Safe handling: see section 7.

#### 10.5. Incompatible materials

Safe handling: see section 7.

## 10.6. Hazardous decomposition products

Reference to other sections: 5.2.

## **SECTION 11: Toxicological information**

### Information on toxicological effects

: Not classified (Based on available data, the classification criteria are not met.) Acute toxicity

Base oil : distillates hydrotreated light paraffinic (DMSO% < 3%) (64742-55-8)		
LD50/oral/rat	> 5000 mg/kg	
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: No data available	
Serious eye damage/irritation	: Not classified (Based on available data, the classification criteria are not met.) pH: No data available	
Respiratory or skin sensitisation Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are notmet.) : Not classified (Based on available data, the classification criteria are notmet.)	



Page: 6 / 9

Revision No: 1.0

Issue Date: 11/05/2022

## **RELIANCE N - 70**

**Location: Pakistan** 

Carcinogenicity : Not classified Reproductive toxicity : Not classified

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met.)

STOT-repeated exposure : Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Reliance N - 70(64742-55-8)

Kinematic viscosity > 13 mm<sup>2</sup>/s

Other information : Symptoms related to the physical, chemical and toxicological characteristics. For

further information see section 4.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Environmental properties : According to the criteria of the European classification and labelling system, the

substance/the product has not to be labelled as "dangerous for the environment".

### Base oil: distillates hydrotreated light paraffinic (DMSO% < 3%) (64742-55-8)

LC50 fish 1 > 1000 mg/l (Salmo gairdneri)

### 12.2. Persistence and degradability

Reliance N - 70(64742-55-8)	
Persistence and degradability	No data available.

### 12.3. Bioaccumulative potential

Reliance N - 70(64742-55-8)	
Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No data available.

### 12.4. Mobility in soil

Reliance N - 70(64742-55-8)	
Mobility in soil	No data available

### 12.5. Results of PBT and vPvB assessment

Reliance N - 70(64742-55-8)	
Results of PBT assessment	No data available

### 12.6. Other adverse effects

Other adverse effects : No data available.

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC,

75/442/EEC, 91/689/EEC)

: This material and its container must be disposed of as hazardous waste

Waste codes should be assigned by the user, preferably in discussion with the waste

disposal authorities.



Page: 7 / 9 Revision No: 1.0

Issue Date: 11/05/2022

## **RELIANCE N - 70**

**Location: Pakistan** 

### **SECTION 14: Transport information**

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper ship	pping name		•	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport haza	14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group		•	•	
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental	hazards			•
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

### 14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : No data available.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

No REACH Annex XVII restrictions

Reliance N - 70is not on the REACH Candidate List Reliance N - 70is

not on the REACH Annex XIV List

### 15.1.2. National regulations

### Germany

Reference to AwSV : Water hazard class (WGK) 3, severe hazard to waters (Classification according to

AwSV; ID No. 9183)



Page: 8 / 9 Revision No: 1.0

Issue Date: 11/05/2022

## **RELIANCE N - 70**

Location: Pakistan

12th Ordinance Implementingthe Federal Immission Control Act - 12.BlmSchV

: Is not subject of the 12. BlmSchV (Hazardous Incident Ordinance)

### **Netherlands**

SZW-lijst van kankerverwekkende stoffen : Base Oil is listed SZW-lijst van mutagene stoffen : Base Oil is listed

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting giftige stoffen -

Vruchtbaarheid

NIET-limitatieve lijst van voor de

voortplanting giftige stoffen - Ontwikkeling

: The substance is not listed

: The substance is not listed

: The substance is not listed

#### **Denmark**

Recommendations Danish Regulation : Young people below the age of 18 years are not allowed to use the product

#### **15.2. Chemical safety assessment**

### **SECTION 16: Other information**

	ABM = Algemene beoordelingsmethodiek
	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
·	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average



Page: 9 / 9 Revision No: 1.0

Issue Date: 11/05/2022

# **RELIANCE N - 70**

**Location: Pakistan** 

	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the

datasheet

: ECHA (European Chemicals Agency). Supplier.

Training advice

: Training staff on good practice. Manipulations are to be done only by qualified and  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left($ 

authorized persons.

Other information

: Assessment/classification. Aerosol foam flammability test.

Full text of H- and EUH-statements:

Asp. Tox. 1	Aspiration hazard, Category 1
H304	May be fatal if swallowed and enters airways.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Classification according to Regulation (EC) No. 1272/2008 [CLP] Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.