	SAFETY DATA SHEET	Page: 1 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Substance
Trade name/designation : **Reliance SN - 150**
EC Index : 649-469-00-9
EC-No. : 265-159-2
CAS-No. : 64742-56-9
Document no. : Location: Pakistan

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No data available

1.2.2. Uses advised against

No data available

1.3. Details of the supplier of the safety data sheet

RELIANCE PETROCHEM INDUSTRIES (PVT.) LTD
1301-1305, 13th Floor, Chapal Plaza, Hasrat Mohani Rd, Karachi, Pakistan
UAN: +92-21-111-774-111 | FAX: +92-21-32474244
info@reliancepetrochem.com | www.reliancepetrochem.com

1.4. Emergency telephone number

Country	Official advisory body	Address	Emergency number
Ireland	National Poisons Information Centre Beaumont Hospital	Beaumont Hospital Beaumont Road 9 Dublin	+353 1 809 21 66 (public, 8am - 10pm, 7/7) +353 01 809 2566 (Professionals, 24/7)
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre, Wolfson Unit	Claremont Place Newcastle-upon-Tyne NE1 4LP Newcastle	0844 892 0111 (UK only, 24/7, healthcare professionals only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Listed in Annex VI : EC Index-No.: 649-469-00-9

2.3. Other hazards

Other hazards : Results of PBT and vPvB assessment: Not applicable.

	SAFETY DATA SHEET	Page: 2 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

SECTION 3: Composition/information on ingredients

3.1. Substances

Comments	: Base oil, DMSO < 3%
Substance name	: Reliance SN – 150
CAS-No.	: 64742-56-9
EC-No.	: 265-159-2
EC Index	: 649-469-00-9

Substance name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Distillates, petroleum, solvent-dewaxed light paraffinic (DMSO<3%)	(CAS-No.) 64742-56-9 (EC-No.) 265-159-2 (EC Index) 649-469-00-9	100	Not classified

Full text of H-statements: see section 16

3.2. Mixtures

Not applicable

SECTION 4: First aid measures

4.1. Description of first aid measures

Additional advice	: First aider: Pay attention to self-protection. Concerning personal protective equipment to use, see section 8. Never give anything by mouth to an unconscious person. In case of doubt or persistent symptoms, consult always a physician. Show this safety data sheet to the doctor in attendance.
Inhalation	: Remove person to fresh air and keep comfortable for breathing. In case of doubt or persistent symptoms, consult always a physician.
Skin contact	: Take off contaminated clothing. Gently wash with plenty of soap and water. In case of doubt or persistent symptoms, consult always a physician.
Eyes contact	: Rinse immediately carefully and thoroughly with eye-bath or water. In case of doubt or persistent symptoms, consult always a physician.
Ingestion	: Rinse mouth thoroughly with water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	: No adverse effects are expected. May be irritating.
Skin contact	: No adverse effects are expected. May cause skin irritation in susceptible persons.
Eyes contact	: No adverse effects are expected. Contact with eyes may cause irritation.
Ingestion	: No adverse effects are expected. May cause nose, throat, and lung irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: carbon dioxide (CO ₂), powder, alcohol-resistant foam, water spray.
Unsuitable extinguishing media	: Strong water jet.

5.2. Special hazards arising from the substance or mixture

Specific hazards	: Not flammable. Heating causes rise in pressure with risk of bursting.
Hazardous decomposition products in case of fire	: Carbon oxides (CO, CO ₂).

	SAFETY DATA SHEET	Page: 3 / 9
		Revision No: 1
RELIANCE SN – 150	Issue Date: 10/05/22	
	Supersedes: 10/05/2022	
	Location: Pakistan	

5.3. Advice for firefighters

Firefighting instructions	: Evacuate area. Use water spray or fog for cooling exposed containers. Contain the extinguishing fluids by bunding. Prevent firefighting water from entering the environment.
Protection during firefighting	: Do not attempt to act without suitable protective equipment. Self-contained breathing apparatus.
Other information	: Do not allow run-off from firefighting to enter drains or water courses. Dispose of waste in accordance with environmental legislation.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

For non-emergency personnel	: Evacuate unnecessary personnel. Keep upwind. Provide adequate ventilation. Wear recommended personal protective equipment. Concerning personal protective equipment to use, see section 8. Do not breathe vapours. Avoid contact with skin, eyes and clothing.
-----------------------------	--

6.1.2. For emergency responders

For emergency responders	: Ensure procedures and training for emergency decontamination and disposal are in place. Concerning personal protective equipment to use, see section 8.
--------------------------	---

6.2. Environmental precautions

Do not allow to enter surface water or drains. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment	: Stop leak if safe to do so. Dam up the liquid spill.
Methods for cleaning up	: Small quantities of liquid spill: take up in non-combustible absorbent material and shovel into container for disposal. Recover large spills by pumping (use an explosion proof or hand pump). Place in a suitable container for disposal in accordance with the waste regulations (see Section 13). This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

Concerning personal protective equipment to use, see section 8. Concerning disposal elimination after cleaning, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling


Precautions for safe handling	: Provide adequate ventilation. Use personal protective equipment as required. Concerning personal protective equipment to use, see section 8. Do not breathe vapors. Avoid contact with skin, eyes and clothing. Take any precaution to avoid mixing with Incompatible materials, Refer to Section 10 on Incompatible Materials. Ensure proper process control to avoid excess waste discharge (temperature, concentration, pH, time). Avoid release to the environment.
Hygiene measures	: Keep good industrial hygiene. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and when leaving work. Do not eat, drink or smoke when using this product. Keep away from food, drink and animal feeding stuffs. Remove contaminated clothes. Separate working clothes from town clothes. Launder separately. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a dry, cool and well-ventilated place. Do not store near or with any of the incompatible materials listed in section 10. Bund storage facilities to prevent soil and water pollution in the event of spillage.
Incompatible substances or mixtures	: Strong oxidizing agents.

7.3. Specific end use(s)

No data available.

	SAFETY DATA SHEET	Page: 4 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Reliance SN - 150

Reliance SN - 150

Additional information : Personal air monitoring: Room air monitoring. Recommended monitoring procedures

8.2. Exposure controls

Engineering measure(s) : Provide adequate ventilation. Organizational measures to prevent /limit releases, dispersion and exposure. Safe handling: see section 7.

Personal protective equipment : The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hand protection : Not required for normal conditions of use. Suitable material: NBR (Nitrile rubber). Thickness > 0.3 mm. Breakthrough time: 8h. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Eye protection : Use suitable eye protection. (EN166): Safety glasses

Body protection : Wear suitable protective clothing.

Respiratory protection : Not required for normal conditions of use. In case of insufficient ventilation, wear suitable respiratory equipment. Half-face mask (EN 140). Full face mask (EN 136). Filter type: A. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. (EN 137)


Thermal hazard protection : Not required for normal conditions of use. Use dedicated equipment.

Environmental exposure controls : Avoid release to the environment. Comply with applicable Community environmental protection legislation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: liquid.
Color	: No data available
Odor	: No data available
Odor threshold	: No data available
pH	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting / freezing point	: No data available
Freezing point	: No data available
Initial boiling point and boiling range	: No data available
Flash point	: >= 200 °C
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable,liquid
Vapor pressure	: No data available
Vapor density	: No data available
Relative density	: No data available
Solubility	: Water: No data available

	SAFETY DATA SHEET	Page: 5 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

Partition coefficient n-octanol/water	: No data available
Kinematic viscosity	: 28 - 31 mm ² /s (40 °C)
Dynamic viscosity	: No data available
Explosive properties	: Not applicable. The study does not need to be conducted because there are no chemical groups associated with explosive properties present in the molecule.
Oxidizing properties	: Not applicable. The classification procedure needs not to be applied because there are no chemical groups present in the molecule which are associated with oxidising properties.
Explosive limits	: No data available

9.2. Other information

Other properties	: Viscosity index (min) :101. Pour point: -12 °C (max). ASTM Color: L1.5. Sulfur :1.0 (Wt%) (max). Furfural Content (ppm) :<5.
------------------	--

SECTION 10: Stability and reactivity

10.1. Reactivity

Reference to other sections: 10.4 & 10.5.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Safe handling: see section 7.

10.5. Incompatible materials

Strong oxidizing agents. Safe handling: see section 7.

10.6. Hazardous decomposition products

Carbon oxides (CO, CO₂). Reference to other sections: 5.2.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified (Based on available data, the classification criteria are not met.)

Reliance SN - 150	
Distillates, petroleum, solvent-dewaxed light paraffinic (DMSO<3%) (64742-56-9)	
LD50/oral/rat	> 5000 mg/kg
LD50/dermal/rabbit	> 5000 mg/kg
LC50/inhalation/4h/rat	> 5399 mg/m ³ (Exposure time: 4 h)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: No data available

Serious eye damage/irritation : Not classified (Based on available data, the classification criteria are not met.)
pH: No data available


Respiratory or skin sensitisation : Not classified (Based on available data, the classification criteria are not met.)

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met.)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met.)

Reliance SN - 150	
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met.)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met.)

Reliance SN - 150

	SAFETY DATA SHEET	Page: 6 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met.)

Reliance SN – 150

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met.)

Reliance SN – 150

Kinematic viscosity	28 - 31 mm ² /s (40 °C)
---------------------	------------------------------------

Other information : Symptoms related to the physical, chemical and toxicological characteristics. For further information see section 4.

SECTION 12: Ecological information

12.1. Toxicity

Environmental properties : According to the criteria of the European classification and labelling system, the substance/the product has not to be labelled as "dangerous for the environment".

Reliance SN - 150

Distillates, petroleum, solvent-dewaxed light paraffinic (DMSO<3%) (64742-56-9)

LC50 fish 1	> 5000 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
EC50 Daphnia 1	> 1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)

12.2. Persistence and degradability

Reliance SN - 150

Persistence and degradability	No data available.
-------------------------------	--------------------

12.3. Bioaccumulative potential

Reliance SN - 150

Partition coefficient n-octanol/water	No data available
Bioaccumulative potential	No data available.

12.4. Mobility in soil

Reliance SN - 150

Mobility in soil	No data available
------------------	-------------------

12.5. Results of PBT and vPvB assessment

Reliance SN - 150

Results of PBT assessment	No data available
---------------------------	-------------------

12.6. Other adverse effects

Other adverse effects : No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Avoid release to the environment. Dispose of empty containers and wastes safely. Safe handling: see section 7. Refer to manufacturer/supplier for information on recovery/recycling. Recycling is preferred to disposal or incineration. If recycling is not possible, eliminate in accordance with local valid waste disposal regulations. Handle contaminated packages in the same way as the substance itself. Dispose of contaminated materials in accordance with current regulations.

European waste catalogue (2001/573/EC, 75/442/EEC, 91/689/EEC) : This material and its container must be disposed of as hazardous waste. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

	<h1>SAFETY DATA SHEET</h1>	Page: 7 / 9
		Revision No: 1
	<h2>RELIANCE SN – 150</h2>	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Special precautions for user : No data available

- Overland transport

Not applicable

- Transport by sea

Not applicable

- Air transport

Not applicable

- Inland waterway transport

Not applicable

- Rail transport

Not applicable

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Code: IBC : No data available.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:

3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Reliance SN - 150

Reliance SN - 150 is not on the REACH Candidate List

Reliance SN - 150 is not on the REACH Annex XIV List

	SAFETY DATA SHEET	Page: 8 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

15.1.2. National regulations

France

Installations classées :

Not applicable.

Germany

Reference to AwSV

: Water hazard class (WGK) 3, Highly hazardous to water (Classification according to AwSV; ID No. 9183)

12th Ordinance Implementing the Federal Immission Control Act - 12.BImSchV

: Is not subject of the 12. BImSchV (Hazardous Incident Ordinance)

Netherlands

Waterbezwaarlijkheid

: A (4) - Weinig schadelijk voor in water levende organismen; kan in het aquatisch milieu op lange termijn schadelijke effecten veroorzaken.

SZW-lijst van kankerverwekkende stoffen : The substance is not listed

SZW-lijst van mutagene stoffen : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Borstvoeding : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Vruchtbaarheid : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

NIET-limitatieve lijst van voor de voortplanting giftige stoffen – Ontwikkeling : The substance is not listed

15.2. Chemical safety assessment

No chemical safety assessment has been carried out


SECTION 16: Other information

Indication of changes:

2.1	Classification	Modified	
2.2	Label elements	Modified	
3	Composition	Modified	
4.1	Description of first aid measures	Modified	
4.2	Symptoms/effects	Modified	
5.2	Special hazards arising from the substance or mixture	Modified	
7.1	Precautions for safe handling	Modified	
7.2	Storage conditions	Modified	
8.2	Exposure controls	Modified	
9.2	Other properties	Modified	
10.4	Conditions to avoid	Modified	
11.1	Toxicological information	Modified	
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture	Modified	
16	Other information	Modified	

Abbreviations and acronyms:

ABM = Algemene beoordelingsmethodiek

	SAFETY DATA SHEET	Page: 9 / 9
		Revision No: 1
	RELIANCE SN – 150	Issue Date: 10/05/22
		Supersedes: 10/05/2022
		Location: Pakistan

	ADN = Accord Européen relatif au Transport International des Marchandises Dangereuses par voie de Navigation du Rhin ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route CLP = Classification, Labelling and Packaging Regulation according to 1272/2008/EC IATA = International Air Transport Association IMDG = International Maritime Dangerous Goods Code LEL = Lower Explosive Limit/Lower Explosion Limit UEL = Upper Explosion Limit/Upper Explosive Limit REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals
	BTT = Breakthrough time (maximum wearing time)
	DMEL = Derived Minimal Effect level
	DNEL = Derived No Effect Level
	EC50 = Median Effective Concentration
	EL50 = Median effective level
	ErC50 = EC50 in terms of reduction of growth rate
	ErL50 = EL50 in terms of reduction of growth rate
	EWC = European waste catalogue
	LC50 = Median lethal concentration
	LD50 = Median lethal dose
	LL50 = Median lethal level
	NA = Not applicable
	NOEC = No observed effect concentration
	NOEL: no-observed-effect level
	NOELR = No observed effect loading rate
	NOAEC = No observed adverse effect concentration
	NOAEL = No observed adverse effect level
	N.O.S. = Not Otherwise Specified
	OEL = Occupational Exposure Limits - Short Term Exposure Limits (STELs)
	PNEC = Predicted No Effect Concentration
	Quantitative structure-activity relationship (QSAR)
	STOT = Specific Target Organ Toxicity
	TWA = time weighted average
	VOC = Volatile organic compounds
	WGK = Wassergefährdungsklasse (Water Hazard Class under German Federal Water Management Act)

Sources of key data used to compile the datasheet : Supplier Info LOLI. Calculation method. CONCAWE.

Training advice : Training staff on good practice.

According to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
 Classification according to Regulation (EC) No. 1272/2008 [CLP]
 Labelling according to Regulation (EC) No. 1272/2008 [CLP]

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable.